

IN THE CLAIMS

1. (currently amended) A substance dispensing device including a body defining a chamber for receiving a substance dispensing capsule, ~~the capsule being operable to dispense for dispensing said substance~~ therefrom and having an outlet through which ~~the said substance~~ is dispensed, ~~the said body~~ having two relatively movable parts that are moved relatively apart from a rest position to ~~condition the device for use~~ a use position in which said device may be operated, and a closure member associated with one of ~~the said two relatively movable parts~~ wherein ~~the said closure member obstructs the said outlet~~ when ~~the said two relatively movable parts are in the said rest position~~.

2. (currently amended) A substance dispensing device according to claim 1, wherein ~~the said two relatively movable parts when moved to an in-use~~ said use position function as a reference means for selecting an appropriate distance between ~~the said outlet~~ and a substance target area.

3. (currently amended) A substance dispensing device according to claim 1, wherein ~~the said two relatively movable parts when in the in-use~~ said use position function as at least a partial shroud that confines the spread of said substance exiting ~~the said outlet~~.

4. (currently amended) A substance dispensing device according to claim 2, wherein ~~the said two relatively movable parts when in an in-use~~ said use position function as at least a partial shroud that confines the spread of said substance exiting ~~the said outlet~~.

5. (currently amended) A substance dispensing device according to ~~any one of the preceding claims~~ claim 1, wherein ~~the said closure member is formed with said one of said two movable members~~ to move therewith.

6. (currently amended) A substance dispensing device according to ~~any one of the preceding claims~~ claim 1 including an actuator button cooperable with ~~the~~ said substance-dispensing capsule for dispensing said substance therefrom, and a ~~stop~~ means that when enabled renders ~~the~~ said actuator button inoperable.

7. (currently amended) A substance dispensing device according to claim 6, wherein ~~the~~ said closure member also ~~functions as the~~ includes said stop means ~~so that the whereby~~ said stop means is enabled when ~~the~~ said closure member is in ~~the~~ said rest position by interacting with the said actuator button to render ~~the~~ said actuator button inoperable.

8. (currently amended) A substance dispensing device according to claim 7, wherein ~~the~~ said actuator button is operated by depression thereof along an axis, said one of said two relatively movable members being rotatable about ~~the~~ said axis to switch ~~the~~ said stop means between ~~the~~ said enabled and a disabled condition ~~so that whereby~~ when ~~the~~ said stop means is in ~~the~~ said enabled condition ~~the~~ said actuator button cannot be depressed.

9. (currently amended) A substance dispensing device according to ~~any one of the preceding claims~~ claim 1 including locking means formed with ~~the~~ said two relatively movable parts to prevent movement of ~~the~~ said two relatively movable parts from ~~the~~ said rest position.

10. (currently amended) A substance dispensing device according to claim 9, wherein ~~the~~ said locking means includes a detent formed with ~~another of the~~ the other of said two relatively movable parts which is locatable in an opening formed in said one of the said two relatively movable parts when said two relatively movable parts are in ~~the~~ said rest position, whereby ~~the~~ said detent must be substantially displaced from ~~the~~

said opening to allow ~~the~~ said two relatively movable parts to be moved from ~~the~~ said rest position.

11. (currently amended) A substance dispensing device according to claim 10, wherein ~~the~~ said detent is biased towards being located in ~~the~~ said opening.

12. (currently amended) A substance dispensing device according to claim 10 ~~or 11~~ wherein ~~the~~ said opening ~~is~~ comprises a blind cavity, and including having a membrane located at one end of ~~the~~ said blind cavity whereby in use ~~the user depresses the~~ said membrane can be depressed by a user to displace ~~the~~ said detent.

13. (currently amended) A substance dispensing device according to ~~any one of the preceding claims~~ claim 1, wherein ~~the~~ said two relatively movable parts form a cover member covering ~~the~~ said outlet when said two relatively movable parts are in the said rest position.

14. (currently amended) A substance dispensing device according to ~~any one of the preceding claims~~ claim 1, including a substance-dispensing capsule located within ~~the~~ said chamber, ~~the~~ said substance-dispensing capsule including a pump for dispersing ~~the~~ said substance through ~~the~~ said outlet.

15. (currently amended) A substance dispensing device according to ~~any one of the preceding claims~~ claim 1 including a viewing window ~~being~~ provided in a side of either of ~~the~~ said two relatively movable parts for exposing the quantity of said substance left in ~~the~~ said substance-dispensing capsule.